

## Danner, Ward

---


**From:** Goloubow, Ron <Ron.Goloubow@arcadis-us.com>  
**Sent:** Thursday, June 27, 2013 4:05 PM  
**To:** Santos, Carmen; Angela Andrews  
**Cc:** Armann, Steve  
**Subject:** RE: PCBs: Aspire School, 66th Avenue, Oakland, CA ---- Status of Revised Documents  
**Attachments:** Angela Andrews.vcf

Angela Andrews is the contact.

It is up to me to get the EPA the revised documents per EPA's latest round of comments.

Please let me know if you would like to arrange for a conference call.

Ron.



**Ron Goloubow** | Principal Geologist | [ron.goloubow@arcadis-us.com](mailto:ron.goloubow@arcadis-us.com)  
ARCADIS U.S., Inc. | 2000 Powell Street, Suite 700 | Emeryville, CA 94608  
T: 510 596 9550 | M: 510 501 1789 | F: 510 652 4906  
Connect with us! [www.arcadis-us.com](http://www.arcadis-us.com) | [LinkedIn](#) | [Twitter](#) | [Facebook](#)  
ARCADIS, Imagine the result

---

**From:** Santos, Carmen [mailto:Santos.Carmen@epa.gov]  
**Sent:** Thursday, June 27, 2013 4:02 PM  
**To:** Goloubow, Ron  
**Cc:** Armann, Steve  
**Subject:** FW: PCBs: Aspire School, 66th Avenue, Oakland, CA ---- Status of Revised Documents

Hello Ron:

I have not heard from you since May 3, 2013. Aspire / College for Certain need to submit the revised documents and revised LUC for review and approval. This case needs to be closed. Please provide the name, phone number, and e-mail address of the contact at College for Certain with whom we should discuss this matter and reach resolution.

Thank you for your courtesies.

Sincerely,

Carmen

Carmen D. Santos  
PCB Coordinator  
USEPA Region 9 (WST-5)  
Waste Management Division  
75 Hawthorne Street  
San Francisco, CA 94105  
Voice: 415.972.3360  
[santos.carmen@epa.gov](mailto:santos.carmen@epa.gov)

*"Think left and think right and think low and think high. Oh, the thinks you can think up if only you try!"* Dr. Seuss

---

**Before printing this message and/or attachments, think if it is necessary. Think Green.**

---

{This e-mail message, including any attachments, may contain non public, privileged, and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

---

**From:** Goloubow, Ron [<mailto:Ron.Goloubow@arcadis-us.com>]  
**Sent:** Friday, May 03, 2013 4:58 PM  
**To:** Santos, Carmen  
**Subject:** RE: PCBs: Aspire School, 66th Avenue, Oakland, CA ---- Status of Revised Documents

Carmen –The revisions to the text of the summary report is complete.

The EPA comments on the inspection plan still need to be addressed and the LUC needs to be prepared.

I totally agree with you that this work needs to get finished up and soon.

Thanks for your help on this project.

I am planning to spend time on these documents during the week of May 6, 2013 and will contact you with any questions.

Ron.

**Ron Goloubow, PG** | Principal Geologist | [ron.goloubow@arcadis-us.com](mailto:ron.goloubow@arcadis-us.com)

---

**From:** Santos, Carmen [<mailto:Santos.Carmen@epa.gov>]

**Sent:** Monday, April 29, 2013 3:55 PM

**To:** Goloubow, Ron

**Subject:** PCBs: Aspire School, 66th Avenue, Oakland, CA ---- Status of Revised Documents

Hello Ron:

Hope this message finds you well. You have our comments on all the documents that you submitted for EPA's review. Please let me know the status of the revised versions of these documents and when should we receive them for review and approval. A revised land use covenant (LUC) is also necessary for review. We want to complete the review of the revised documents still to be submitted and LUC so that (1) an approval can be issued for the cleanup completion report and (2) agreements can be reached on the LUC that will facilitate recordation of the LUC. We want to close this PCB cleanup case within a month. We cannot keep waiting for the revised documents and keep re-engaging on this project. Such approach is inefficient and will affect work time already allocated for other projects and the schedule to complete those other projects.

Thank you for your courtesies and attention to this matter. I look forward to your prompt reply.

Sincerely,  
Carmen

Carmen D. Santos  
PCB Coordinator  
USEPA Region 9 (WST-5)  
Waste Management Division  
75 Hawthorne Street  
San Francisco, CA 94105  
Voice: 415.972.3360  
[santos.carmen@epa.gov](mailto:santos.carmen@epa.gov)

***"Think left and think right and think low and think high. Oh, the things you can think up if only you try!"*** Dr. Seuss

---

**Before printing this message and/or attachments, think if it is necessary. Think Green.**

---

{This e-mail message, including any attachments, may contain non public, privileged, and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

---

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise restricted by law.

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*

This Email message contained an attachment named  
image001.jpg  
which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*